



Contribution ID: 86

Type: **Oral presentations**

High Pressure X-ray diffraction study of alpha-As₂Te₃

Thursday, 18 June 2015 16:00 (20 minutes)

The structural properties of arsenic telluride with monoclinic C2/m structure (alpha-As₂Te₃) have been studied both experimentally and theoretically under compression at room temperature by means of X-ray powder diffraction measurements up to 23 GPa and total-energy *ab initio* calculations. It has been found experimentally that alpha-As₂Te₃ remains in its initial monoclinic structure up to 14 GPa. At this pressure, a phase transition is observed in contrast to previous results that reported a phase transition between 6 and 8 GPa to the R-3m phase (beta-As₂Te₃) [1]. The pressure dependence of the structural parameters and equation of state for the low-pressure phase of As₂Te₃ have been determined by Rietveld refinement. The reported results are compared with those available in the literature for related A₂X₃ compounds.

References

- [1] T.J. Scheidelmantel, J.F. Meng and J.V. Badding, J. Phys. Chem. Solids 66, 1744 (2005).

Primary author: Mrs CUENCA-GOTOR, Vanesa Paula (UPV)

Co-authors: Dr POPESCU, Catalin (ALBA); Prof. MANJÓN, Francisco Javier (UPV); Dr IBÁÑEZ, Jordi (CSIC); Dr SANS, Juan Ángel (UPV)

Presenter: Mrs CUENCA-GOTOR, Vanesa Paula (UPV)

Session Classification: Session 8 - II ALBA User's Meeting 2015

Track Classification: II ALBA User's Meeting